Downloaded from http://jvi.asm.org/ on May 20, 2019 by guest

JOURNAL OF VIROLOGY

Volume 66 November 1992 No. 11

ANIMAL VIRUSES

| Cap-Independent Translation by the 5' Untranslated Region of Theiler's Murine Encephalomyelitis Virus | Pradip K. Bandyopadhyay, Changyu Wang, and Howard L. Lipton | 6249–6256 |
|---|---|-----------|
| Concerted Integration of Viral DNA Termini by Purified Avian Myeloblastosis Virus Integrase | Michael L. Fitzgerald, Ajaykumar C. Vora, William G. Zeh, and Duane P. Grandgenett | 6257–6263 |
| Surface Lysine and Tyrosine Residues Are Required for Interaction of the Major Herpes Simplex Virus Type 1 DNA-Binding Protein with Single-Stranded DNA | William T. Ruyechan and Jonathan W. Olson | 6273–6279 |
| Antioxidants Selectively Suppress Activation of NF-kB by Human T-Cell Leukemia Virus Type I Tax Protein | Ralf Schreck, Ralph Grassmann, Bernhard Fleckenstein, and Patrick A. Baeuerle | 6288–6293 |
| Structural Proteins of Equine Arteritis Virus | Antoine A. F. de Vries, Ewan D. Chirnside, Marian C. Horzinek, and Peter J. M. Rottier | 6294–6303 |
| The Nonmyristylated Pr160 ^{gag-pol} Polyprotein of Human Immunodeficiency Virus Type 1 Interacts with Pr55 ^{gag} and Is Incorporated into Viruslike Particles | Jinseu Park and Casey D. Morrow | 6304–6313 |
| Interference Is Controlled by Segment 2 and Possibly by Segment 8 of the Nondefective Interfering Influenza Virus Variant A/FM/1/47-MA | E. G. Brown, C. F. Dimock, and K. Hannah | 6314–6321 |
| Mutagenic Analysis of the Coronavirus Intergenic Consensus Sequence | Myungsoo Joo and Shinji Makino | 6330–6337 |
| Characterization of Nuclear Proteins That Bind the EFII Enhancer Sequence in the Rous Sarcoma Virus Long Terminal Repeat | Rosalie C. Sears and Linda Sealy | 6338–6352 |
| Identification of Conserved Amino Acid Residues Critical for Human Immunodeficiency Virus Type 1 Integrase Function In Vitro | Alan Engelman and Robert Craigie | 6361–6369 |
| Requirements for Strand Transfer between Internal Regions of Heteropolymer Templates by Human Immunodeficiency Virus Reverse Transcriptase | Jeffrey J. DeStefano, Lisa M. Mallaber, Lorna Rodriguez-Rodriguez, Philip J. Fay, and Robert A. Bambara | 6370–6378 |
| Differences in the Poly(ADP-Ribosyl)ation Patterns of ICP4, the Herpes Simplex Virus Major Regulatory Protein, in Infected Cells and in Isolated Nuclei | John A. Blaho, Nancy Michael, Veronica Kang, Nasreen Aboul-Ela, Mark E. Smulson, Myron K. Jacobson, and Bernard Roizman | 6398–6407 |
| Equine Herpesvirus 1 Glycoprotein D: Mapping of the Transcript and a Neutralization Epitope | C. Clay Flowers and Dennis J. O'Callaghan | 6451–6460 |
| Transcription of Viral Late Genes Is Dependent on Expression of the Viral Intermediate Gene G8R in Cells Infected with an Inducible Conditional-Lethal Mutant Vaccinia Virus | Yifan Zhang, James G. Keck, and Bernard Moss | 6470–6479 |
| Replication of Poliovirus RNA and Subgenomic RNA Transcripts in Transfected Cells | Philip S. Collis, Brian J. O'Donnell, David J. Barton, Julie A. Rogers, and James B. Flanegan | 6480–6488 |

| Role of vif in Replication of Human Immunodeficiency Virus Type 1 in CD4 ⁺ T Lymphocytes | Dana H. Gabuzda, Katharine Lawrence, Erik Langhoff, Ernest Terwilliger, Tatyana Dorfman, William A. Haseltine, and Joseph Sodroski | 6489–6495 |
|---|---|-----------|
| Functional Characterization of Temperature-Sensitive Mutants of Simian Virus 40 Large T Antigen | Satyajit Ray, Mary E. Anderson, Gerhard Loeber, Duncan McVey, and Peter Tegtmeyer | 6509–6516 |
| Two Conditional tsA Mutant Simian Virus 40 T Antigens Display Marked Differences in Thermal Inactivation | Inga Reynisdóttir and Carol Prives | 6517–6526 |
| Expression, Self-Assembly, and Antigenicity of the Norwalk Virus Capsid Protein | Xi Jiang, Min Wang, David Y. Graham, and Mary K. Estes | 6527–6532 |
| Characterization of a Baculovirus Gene Encoding a Small Conotoxinlike Polypeptide | Russ Eldridge, Yonghong Li, and Lois K. Miller | 6563–6571 |
| a1/EBP: a Leucine Zipper Protein That Binds CCAAT/Enhancer Elements in the Avian Leukosis Virus Long Terminal Repeat Enhancer | W. J. Bowers and A. Ruddell | 6578–6586 |
| Mutational Analysis of the gag-pol Junction of Moloney Murine Leukemia Virus: Requirements for Expression of the gag-pol Fusion Protein | Kevin M. Felsenstein and Stephen P. Goff | 6601–6608 |
| The UL16 Gene of Human Cytomegalovirus Encodes a Glycoprotein That Is Dispensable for Growth In Vitro | Jane Kaye, Helena Browne, Marcus Stoffel, and Tony Minson | 6609–6615 |
| Truncation of the Human Immunodeficiency Virus Type 1 Transmembrane Glycoprotein Cytoplasmic Domain Blocks Virus Infectivity | John W. Dubay, Susan J. Roberts, Beatrice H. Hahn, and Eric Hunter | 6616–6625 |
| Assembly of Simian Virus 40 Okazaki Pieces from DNA Primers Is Reversibly Arrested by ATP Depletion | Tamar Nethanel, Tamar Zlotkin, and Gabriel Kaufmann | 6634–6640 |
| Oligomerization of Hepatitis Delta Antigen Is Required for both the trans-Activating and trans-Dominant Inhibitory Activities of the Delta Antigen | Yu-Ping Xia and Michael M. C. Lai | 6641–6648 |
| Disulfide Bond Structure of Glycoprotein D of Herpes Simplex Virus Types 1 and 2 | Deborah Long, Wesley C. Wilcox, William R. Abrams, Gary H. Cohen, and Roselyn J. Eisenberg | 6668–6685 |
| Coexpression of the Simian Immunodeficiency Virus Env and Rev Proteins by a Recombinant Human Adenovirus Host Range Mutant | Sheau-Mei Cheng, Shaw-Guang Lee, Marlene Ronchetti-Blume, Karen Politis Virk, Satoshi Mizutani, Jorg W. Eichberg, Alan Davis, Paul P. Hung, Vanessa M. Hirsch, Robert M. Chanock, Robert H. Purcell, and Philip R. Johnson | 6721–6727 |
| Maturation Cleavage Required for Infectivity of a Nodavirus | Anette Schneemann, Weidong Zhong, Thomas M. Gallagher, and Roland R. Rueckert | 6728–6734 |
| The Conserved Helicase Motifs of the Herpes Simplex Virus Type 1 Origin-Binding Protein UL9 Are Important for Function | Rik Martinez, Lei Shao, and Sandra K. Weller | 6735–6746 |
| Oligomerization of the Human Cytomegalovirus Major Envelope Glycoprotein Complex gB (gp55-116) | William J. Britt and Leone G. Vugler | 6747–6754 |
| An Adenosine at Position 27 in the Human Immunodeficiency Virus Type 1 trans-Activation Response Element Is Not Critical for Transcriptional or Translational Activation by Tat | Andrew D. Blanchard, Robert Powell, Martin Braddock, Alan J. Kingsman, and Susan M. Kingsman | 6769–6772 |

| Minimal Requirements for the Human Immunodeficiency Virus Type 1 V3 Domain To Support the Syncytium-Inducing Phenotype: Analysis by Single Amino Acid Substitution | Jean-Jacques De Jong, Anthony De Ronde, Wilco Keulen, Matthijs Tersmette, and Jaap Goudsmit | 6777–6780 |
|--|--|-----------|
| Human Immunodeficiency Virus Type 1 gag-Protease Fusion Proteins Are Enzymatically Active | Moshe Kotler, Gila Arad, and Stephen H. Hughes | 6781–6783 |
| Construction and Characterization of a Human Cytomegalovirus Mutant with the UL18 (Class I Homolog) Gene Deleted | Helena Browne, Mark Churcher, and Tony Minson | 6784–6787 |
| Intermolecular Cleavage of Hepatitis A Virus (HAV) Precursor Protein P1-P2 by Recombinant HAV Proteinase 3C | Y. Y. Kusov, W. Sommergruber, M. Schreiber, and V. Gauss-Müller | 6794–6796 |
| Restoration of Cell Surface CD4 Expression in Human Immunodeficiency Virus Type 1-Infected Cells by Treatment with a Tat Antagonist | Muhammad Shahabuddin, Barbara Volsky, Ming-Chu Hsu, and David J. Volsky | 6802–6805 |
| In Vitro Enzymatic Activity of Human Immunodeficiency Virus Type 1 Reverse Transcriptase Mutants in the Highly Conserved YMDD Amino Acid Motif Correlates with the Infectious Potential of the Proviral Genome | John K. Wakefield, Sandra A. Jablonski, and Casey D. Morrow | 6806–6812 |
| Transcription of Human Respiratory Syncytial Virus Genome RNA In Vitro: Requirement of Cellular Factor(s) | Sailen Barik | 6813–6818 |
| Baculovirus gp64 Envelope Glycoprotein Is Sufficient To Mediate pH-Dependent Membrane Fusion | Gary W. Blissard and John R. Wenz | 6829–6835 |
| Isolation and Characterization of a Novel Reassortant between Avian Ty-1 and Simian RRV Rotaviruses | Deborah A. Kool, Suzanne M. Matsui, Harry B. Greenberg, and Ian H. Holmes | 6836–6839 |
| VIRUS-CELL INTERACTIONS | | |
| Fusion Properties of Cells Infected with Human Parainfluenza Virus Type 3: Receptor Requirements for Viral Spread and Virus-Mediated Membrane Fusion | Anne Moscona and Richard W. Peluso | 6280–6287 |
| Two Synthetic Sp1-Binding Sites Functionally Substitute for the 21-Base-Pair Repeat Region To Activate Simian Virus 40 Growth in CV-1 Cells | John Lednicky and William R. Folk | 6379–6390 |
| Mammalian Subtilisin-Related Proteinases in Cleavage Activation of the Paramyxovirus Fusion Glycoprotein: Superiority of Furin/PACE to PC2 or PC1/PC3 | Bin Gotoh, Yukano Ohnishi, Noel M. Inocencio, Emi Esaki, Kazuhisa Nakayama, Philip J. Barr, Gary Thomas, and Yoshiyuki Nagai | 6391–6397 |
| A Carboxy-Terminal Fragment of Protein $\mu 1/\mu 1C$ Is Present in Infectious Subvirion Particles of Mammalian Reoviruses and Is Proposed To Have a Role in Penetration | Max L. Nibert and Bernard N. Fields | 6408–6418 |
| Induction of E1A-Responsive Negative Factors for Transcription of the Fibronectin Gene in Adenovirus E1-Transformed Rat Cells | Takeshi Nakamura, Takuma Nakajima, Shiho Tsunoda, Susumu Nakada, Kinichiro Oda, Hiromichi Tsurui, and Akiyoshi Wada | 6436–6450 |
| Mutations within the 5' Nontranslated Region of Hepatitis A | Stephen P. Day, Paula Murphy, Edwin A. Brown, and Stanley M. | 6533–6540 |
| Virus RNA Which Enhance Replication in BS-C-1 Cells | Lemon | |
| Virus RNA Which Enhance Replication in BS-C-1 Cells Fusion Mutants of Newcastle Disease Virus Selected with Monoclonal Antibodies to the Hemagglutinin-Neuraminidase | | 6626–6633 |

VIRAL AND CELLULAR ONCOGENES

| The Only Domain Which Distinguishes Epstein-Barr Virus Latent Membrane Protein 2A (LMP2A) from LMP2B Is Dispensable for Lymphocyte Infection and Growth Transformation In Vitro; LMP2A Is Therefore Nonessential | Richard Longnecker, Cheryl L. Miller, X-Qian Miao, Andrew Marchini, and Elliott Kieff | 6461–6469 |
|---|---|-----------|
| Epstein-Barr Virus Latent Membrane Protein Transactivates the Human Immunodeficiency Virus Type 1 Long Terminal Repeat through Induction of NF-кВ Activity | Marie-Louise Hammarskjöld and Maryanne C. Simurda | 6496–6501 |
| Activation of the Prolactin Receptor Gene by Promoter Insertion in a Moloney Murine Leukemia Virus-Induced Rat Thymoma | Christopher S. Barker, Susan E. Bear, Tibor Keler, Neal G. Copeland, Debra J. Gilbert, Nancy A. Jenkins, Raymond S. Yeung, and Philip N. Tsichlis | 6763–6768 |
| Protein Truncation Is Not Required for c-myb Proto-Oncogene Activity in Neuroretina Cells | Carmen Garrido, Friedrich Grässer, Joseph S. Lipsick, Dominique Stehelin, and Simon Saule | 6773–6776 |
| PLANT VIRUSES | | |
| Brome Mosaic Virus RNA Replication Proteins 1a and 2a Form a Complex In Vitro | Chris Cheng Kao, René Quadt, Richard P. Hershberger, and Paul Ahlquist | 6322–6329 |
| Subgenomic RNAs Mediate Expression of Cistrons Located Internally on the Genomic RNA of Tobacco Necrosis Virus Strain A | Frank Meulewaeter, Marc Cornelissen, and John Van Emmelo | 6419–6428 |
| Genetic Recombination in Brome Mosaic Virus: Effect of Sequence and Replication of RNA on Accumulation of Recombinants | Peter D. Nagy and Jozef J. Bujarski | 6824–6828 |
| VIRAL PATHOGENESIS AND IMMUNITY | | |
| Herpes Simplex Virus-Infected Human Fibroblasts Are Resistant to and Inhibit Cytotoxic T-Lymphocyte Activity | Christine M. Posavad and Kenneth L. Rosenthal | 6264–6272 |
| Genetic Analysis of Simian Virus 40 from Brains and Kidneys of Macaque Monkeys | Petr O. Ilyinskii, Muthiah D. Daniel, Christopher J. Horvath, and Ronald C. Desrosiers | 6353–6360 |
| Persistence of Viral RNA in Mouse Brains after Recovery from Acute Alphavirus Encephalitis | Beth Levine and Diane E. Griffin | 6429–6435 |
| Epitope Specificity of Protective Lactogenic Immunity against Swine Transmissible Gastroenteritis Virus | Maribel De Diego, María D. Laviada, Luis Enjuanes, and José M. Escribano | 6502–6508 |
| T Cells Expressing the γδ T-Cell Receptor Potentiate Coxsackievirus B3-Induced Myocarditis | Sally A. Huber, Albert Moraska, and Matt Choate | 6541–6546 |
| Macrophage-Tropic Human Immunodeficiency Virus Isolates from Different Patients Exhibit Unusual V3 Envelope Sequence Homogeneity in Comparison with T-Cell-Tropic Isolates: Definition of Critical Amino Acids Involved in Cell Tropism | Bruce Chesebro, Kathy Wehrly, Jane Nishio, and Sylvia Perryman | 6547–6554 |
| A Synthetic Peptide to the E Glycoprotein of Murray Valley Encephalitis Virus Defines Multiple Virus-Reactive T- and B-Cell Epitopes | James H. Mathews, John T. Roehrig, John R. Brubaker, Ann R. Hunt, and Jane E. Allan | 6555–6562 |
| Sequence Similarity between Borna Disease Virus p40 and a Duplicated Domain within the Paramyxovirus and Rhabdovirus Polymerase Proteins | Marcella A. McClure, Kelly J. Thibault, Carolyn G. Hatalski, and W. Ian Lipkin | 6572–6577 |
| | | |

| Complete Nucleotide Sequence, Genome Organization, and Biological Properties of Human Immunodeficiency Virus Type 1 In Vivo: Evidence for Limited Defectiveness and Complementation | Yuexia Li, Huxiong Hui, Conal J. Burgess, Richard W. Price, Paul M. Sharp, Beatrice H. Hahn, and George M. Shaw | 6587–6600 |
|--|--|-----------|
| cDNA Clone of Hepatitis A Virus Encoding a Virulent Virus: Induction of Viral Hepatitis by Direct Nucleic Acid Transfection of Marmosets | Suzanne U. Emerson, Marianne Lewis, Sugantha Govindarajan, Max Shapiro, Thomas Moskal, and Robert H. Purcell | 6649–6654 |
| Transcriptional Analysis of Multigene Family 110 of African Swine Fever Virus | Fernando Almazán, Javier M. Rodríguez, Germán Andrés, Ricardo Pérez, Eladio Viñuela, and Jose F. Rodriguez | 6655–6667 |
| Phenotypic Progression of a Rat Lymphoid Cell Line Immortalized by Human T-Lymphotropic Virus Type I To Induce Lymphoma/Leukemia-Like Disease in Rats | Takashi Oka, Hiroshi Sonobe, Jun Iwata, Ichiro Kubonishi, Hitoshi Satoh, Masaru Takata, Yuetsu Tanaka, Masatoshi Tateno, Hideki Tozawa, Shigeo Mori, Takashi Yoshiki, and Yuji Ohtsuki | 6686–6694 |
| Monoclonal Antibody Analysis of Neutralization and Antibody-Dependent Enhancement of Feline Infectious Peritonitis Virus | Wayne V. Corapi, Christopher W. Olsen, and Fredric W. Scott | 6695–6705 |
| Herpes Simplex Virus Type 1 dUTPase Mutants Are Attenuated for Neurovirulence, Neuroinvasiveness, and Reactivation from Latency | Richard B. Pyles, N. M. Sawtell, and Richard L. Thompson | 6706–6713 |
| A Recombinant Human Fab Expressed in <i>Escherichia coli</i> Neutralizes Rabies Virus | Sau C. Cheung, Bernhard Dietzschold, Hilary Koprowski, Abner Louis Notkins, and Robert F. Rando | 6714–6720 |
| Design of High-Affinity Major Histocompatibility Complex-Specific Antagonist Peptides That Inhibit Cytotoxic T-Lymphocyte Activity: Implications for Control of Viral Disease | Jean Edouard Gairin and Michael B. A. Oldstone | 6755–6762 |
| Identification of T-Cell Epitopes on E2 Protein of Rubella Virus, as Recognized by Human T-Cell Lines and Clones | Dawei Ou, Pele Chong, Yvonne Choi, Paul McVeigh, Wilfred A. Jefferies, Gerasinos Koloitis, Aubrey J. Tingle, and Shirley Gillam | 6788–6793 |
| The Human Immunodeficiency Virus (HIV) gag Gene Product p18 Is Responsible for Enhanced Fusogenicity and Host Range Tropism of the Highly Cytopathic HIV-1-NDK Strain | Jean de Mareuil, Beda Brichacek, Danièle Salaun, Jean-Claude Chermann, and Ivan Hirsch | 6797–6801 |
| ERRATUM | | |
| Internal Entry of Ribosomes on a Tricistronic mRNA Encoded by Infectious Bronchitis Virus | D. X. Liu and S. C. Inglis | 6840 |