

ERRATA

A Novel Mode of Human Immunodeficiency Virus Type 1 (HIV-1) Activation: Ligation of CD28 Alone Induces HIV-1 Replication in Naturally Infected Lymphocytes

**BIRGITTA ÅSJÖ, DANIEL CEFAL, PATRICE DEBRÉ, YASMINE DUDOIT,
AND BRIGITTE AUTRAN**

Laboratoire d'Immunologie Cellulaire et Tissulaire, Unité Associée Centre National de la Recherche Scientifique 625, Hôpital Pitié Salpêtrière, Paris, France, and National Center for Research in Virology, University of Bergen, Bergen, Norway

Volume 67, no. 7, p. 4397: In line 1 of the Acknowledgments, “supported by funds” should read “supported by financial support from the European Community Concerted Action on Immunology and Immunopathology of HIV-Related Diseases and by funds”.

Deletion of the Vaccinia Virus B5R Gene Encoding a 42-Kilodalton Membrane Glycoprotein Inhibits Extracellular Virus Envelope Formation and Dissemination

ELIZABETH J. WOLFFE, STUART N. ISAACS, AND BERNARD MOSS

Laboratory of Viral Diseases, National Institute of Allergy and Infectious Diseases, Building 4, Room 229, 9000 Rockville Pike, Bethesda, Maryland 20892

Volume 67, no. 8, p. 4738 and 4739: Figures 6 and 7 should appear at the exposures shown on the following pages.